Preserve

App F IX 4

1929 (Rel) III Vol File No 23-29

Previous References
78 29 (5-6)

Serial Nos. 58-93

Later References
Rel 11-30 & 7/31 11)

General and Revenue Secretariat

Serial Nos Rel 0

Part B for February 1930

SUBJECT

Kolkole Municipal Bye-law for Commencing the Regulation of Buildings in the Municipal area

Sl 93 / to the deputy Commissioner, Mysore

L 6075 dated 12-2-1930

Sanctions with certain recommendations the bye-laws framed by the Kolkole Mul. CC for the Construction of Buildings

28/2/30

General and Revenue Secretariat

File No 23 of 192 9

Serial No

58

From the Dy comm, Mysore Dt

No D3 723/29 of 20-12-29

Submits the bye-laws made by the Melkote Municipal council for regulating buildings in the municipality

The bye-laws have been framed on the model of those Sanctioned for the Bangalore city with a few modifications to suit local requirements The bye-laws may be approved with a few verbal alterations noted on the copy and the alterations and observations noted below

Bye-law 6 This prescribes a drain margin of 1½ f the courtyard having drainage in the case of the Bangalore city Must the bye law as ultra vires it may be omitted and the bye laws re-numb

Bye-law 18 The bye-law provi the construction of hot

NOTE—Contn sheet

Serial No

on the mast of vehicles intended for residential quarters This prohibition is unnecessary and not strictly warranted The use of a place as a hotel or eating house has to be regulated later by byelaws prescribing licenses therefor These Hotels may be removed from the purview of this byelaw

Byelaw 17 This may be omitted Section 96 (5) of the Municipal Regn prescribes the punishment for breach of the byelaws also and under this Sub-Section Magistrates have power to fine upto Rs 200 The proposed byelaw fixes a penalty not exceeding Rs 20 and is inconsistent with the Regn It may therefore be deleted.

2) No provision is made in the byelaws now submitted for regulating the construction

NOTE—Contn sheet

3442 3

App F III—2]

General and Revenue Secretariat — File No 43 of 1929

Serial No

of princes or talukas the Secretary was pleased to observe that no new bunding to be newly constructed no permits the construction of a pump may be insisted upon Please see PWD 78 29-5 (Page 31) the Proposal

Four bye-laws after the manner of bye laws 17 to 19 (printed at pages 70-71 of the Manual) of Byelaws of the Bangalore city may be incorporated in the bye laws now received and approved

25/1/30 2nd Member 25/1/30

CSO 28/1/30

28/1

Draft-put-upon appl 29/1/30

Please put up draft as proposed 31/1/30

Revised draft-put-upon appl 1/2/30

Issue 1/2/30

were drawn up by the bye laws & forwarding appn 11/1/30

NOTE—Contn sheet

OFFICE OF THE S C I 27 JAN 1930 N 5644

WD 066—GPB—30 000—26 7 29

App F III—2]

[redacted] Revenue

Rel File No 23 of 1929

Serial No	
93	No L 6075 dy 12-2-30 To WC, regrg sanctns with certain reservations the bylaws framed by the municipal council for regulating buildings in the municipality

GEN & REV SECTT
15 DEC 1930
L S G Dept

NOTE—Contn sheet

ME 23-29-58

No D 3 703/29
ore ee of b e-laws

Office of the Deputy Commissioner
Mysore District

Dated Mysore 30 December 1929

GEN & R... 27 DEC 1929 L S G ...

L3442

FROM

K V ANANTARAMAN Esq B A B
Deputy Commissioner
Mys re District

To

R Rama Rao Esq B A F L
Secretary to the Government of
His Highness the Maharaja of Mysore
Gen l Departmen s Bangalore

SIR

Bye-laws framed by the Malkod Municipal...

as desired in your letter No I 3676 dated the 1st October 1929 I have the honour to submit herewith in duplicate for the sanction of Government the Bye-laws framed by the Malkod Municipal Council under Section 181(1)(b) of the Mysore Municipal Regulation relating to Buildings and other structures

I have the honour to be
Sir
Your most obedient servant

K V Ananthaman
Deputy Commissioner
Mysore District

Ee

Melkote Municipality –

(Mysore District)

Sanctioned in G.O. No. LB 075/mal 23-24-93 Dt 12-2-80

Bye-laws regulating buildings and other structures in the town of Melkote.

Under Section 178 (1) P –

1 Every person intending to erect or re-erect within the meaning of Sections 92 to 96 of the Mysore Municipal Regulation, No VII of 1906, any building in the town of Melkote shall give notice in writing of his intention to the President –

as amended from time to time

Such notice shall be accompanied with ~~his~~ a site plan of the land on which the structure is proposed to be built drawn to a scale of not less than ten feet to an inch showing (a) The position of the building and appurtenant out buildings to be erected on the land –

(b) The names (if any) or description of the adjacent roads, streets, bridges culverts, or buildings and (c) The number of ~~his~~ Lot and the name or number of the block and street or road in which the land is situated –

(d) The area to be occupied by the building and the out buildings on the land -

2 The plan required to be produced shall be in duplicate and drawn to a scale of not less than ten feet to an inch -

It shall show in sections and elevations the plan of the ground floor and of each other floor if any, the depth and thickness of the foundation, the height and the thickness of the plinth, the thickness of the floor or floors and the dimensions and structure of the roof -

The aforesaid plan shall further show the position of the line or frontage of the proposed building with reference to the adjacent side drain of the street or road which the building faces or if there be no such drain with reference to the central line of the street or road -

The licence and the plan shall always be available on the spot for inspection by the

Municipal Authorities 5

-- Provided that in the case of buildings of which the value will less than Rs 5001, it shall be sufficient for the site plan to show to the satisfaction of the President, without scale, the size of the proposed building and its position on the land, together with the position of the land with reference to adjacent buildings or lands -

3 No foundation of a new building intend for human occupation shall be constructed on a site which has been filled up with or used as a place for depositing excrementitious matter or the carcasses of dead animals, or other filthy or offensive matter until such matter shall have been properly removed to the satisfaction of the President or shall in his opinion have become innocuous -

4 No pits shall be excavated in the sites allotted for building dwelling houses -

5 No building site shall be surrounded by a hedge of lantana, aloe prickly-pear, or other objection

or by a fence of barbed wire

b. No new buildings shall be erected by any person, the foundation of the wall of which along the road is less than one and half feet from the side drain —

x The level of plinth of any buildings shall not be below such level as may be fixed by the President

x The footings of the walls and the beds of the ground floor of the buildings proposed to be erected should rest on the solid ground or upon a sufficient thickness of Concrete or upon some solid and sufficient substructure as a foundation —

Provided that where solid rock is met with at or near the surface of the site of such building that is within three feet of the level of the base of the wall the footing may be omitted if the surface of the rock be properly cleaned and stepped or jagged to receive the first course of masonry —

x The eaves of buildings, sun-shades of windows, water spouts &c

- Roof water shall not project beyond the side street drain adjoining the house and spouts shall be led down to the ground -

9 10 The steps to get up the plinth from the road shall not project beyond the ~~the~~ edge of the side drain of the road -

under

10 11 No sunshades for shops either temporary or permanent shall be erected ~~beyond~~ beyond the outer edge of the side drain of the road -

9

11 12 Every house should have a decent frontage and no perishable or inflammable materials should be used for construction -

- Houses should not ordinarily build contiguous to each other -

be built

1

- In all the localities of the town, where having regard to attendant circumstances, it is possible, every new building shall be in communication with the external air all round the building -

12 13 The minimum height of every room intended to be inhabited in a building except a room in the roof, thereof, shall not be less than 8 ft from the floor to ceiling -

to me

- The room in the room shall have an average height of 14 feet from the floor to the ceiling -

13 ~~14~~ No Shop or market place manufactory, or hotel place of public resort, etc should be built in the midst of localities intended for residential purposes, unless three fourths of the number of owners in the block or Area affected agree to the same

15 No person shall construct over a privy, whether new or old any room or structure of any description except another privy or a bathing place or bath room -

15 If any person has any doubt or difficulty as to the true intent or meaning of any matter connected with these Rules of the Board thereof, he may before giving notice in writing, of his intention to erect or re-erect any building apply to the President, who shall upon receipt of such application give the said person written a week such information as in the circumstances may be necessary -

16 In every case, where a person who shall erect a building shall at any reasonable time during progress or after completion of the erection of such building, receive from the President notice in writing that

Any matters in respect of which
- the erection of such building may
be in contravention of any bye laws
relating to the new buildings
- And requiring such person with
- in a reasonable time which shall
- be specified in such notice to cause
any thing done contrary to any
- such bye law may be required
to be done but which has been
- omitted to be done such person
- shall within the time specified
- in such notice, comply with the
- several requirements relate to
matters in respect of which the
- erection of such building may be
in contravention of any such bye-
- laws The time limit for the
licence granted under these
- bye laws shall be three
- months -

- If any infringement of the
- above bye laws, with or connection
subject the offender to a fine
- not exceeding Rs 20/

- Sd/ V S Krishnaswamy
President

Secretary

17 Every place other than a water-closet or bath-room situated within any house building or enclosure and habitually used for the purpose of na ure or for keeping human exereta shall be considered to be a privy or latrine within the meaning of these bye-laws

18 Every person who shall erect a new building shall in connection with such buildings as chattram Agraharams and tenements etc construct such number of privies and in such manner as shall be prescribed in eacn case by the President

19 A person who shall construct a new privy whether in connection with a building or not shall construct such privy upon such site or in such position and manner only as shall be approved of by the President

11/2/30
For Gereral Secretary to Government

K M R 2
10/2

మోటుపోతే, ముసలనికాలపటి Form No. 10075
(మోక్షసూత్రదిప్రస్తావే) 23-09-93

1906 ఇతని VII కేసం ముసలనికాలపటి మోక్షసూత్రదిప్రస్తావే ప్రకారం కింది విధంగా ఉంది -

(1) మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

(2) అందాకా మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

(a) మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

(b) మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

(c) మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

(d) మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

(2) మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

మోటుపోతే ముసలనికాలపటి ప్రకారం ఉన్నది -

రప్పెడదఱుచ డిజూబాంజూరప్పెడవెళ్ళు వెలుపళ్ళన్ని
కొండంరుతెప్పంరకిస్తేలాగసుంగారవల్లదీరప్పెరుగట్టరకి
వేళ్ళక్రేనగము దినిందుచుండురఱ్ఱాబ్లాక్‌ఫూచట్టాతశోప

(3) చుమ్ము స్ట్రక్చరాంద్యాని రప్పెకర్ప్ప వుసేయు
బాంయువర్ప్ప వర్ప్పస్రావన్నులుదుగాంఖతెళలరంభేవ్ప్ప
బాళన్ప్రాడిం వ్ముండ్రవాంద వదాంద్రవళ్ళన్ను (నిరతం
సుంతవాదువు) అథవాంశ్యకేలనర్బ్బర వాదుమళ్ళ
చీలబిళదాంద్రవళ్ళన్నుజూ పువుదర్ప్యాలుళంజో
గిచువళ్ళన్నళళ్ళి అందాళదాంద్రవళ్ళన్ను ప్రేసి
జేంచెర చేవళోమ్మా స్పివంరికేసేలుద జ్రోరతాళలి
అదువాలుంద్రాన్నద్ధళదల్లి ర ప్పువుదరింగలిళాం
ఏల్లశేంజు శంవళతిళ్ళదజ్రోరతె వలరప్పెంజూడదు
-

(4) చాన్నచుమ్మదియన్ను రప్పెమ్మెరువాగిగాంళడి వర
తర్ప్పజూంగాంద్రుల్లి మండిళళ్ళన్ను సోడవాండదు

(5) చుమ్మెరప్పెమ్మెరవన్నళ్ళదభుత్వలూం లాంతాంనా
దిందాండలి ముళ్ళుంల్లిళయిందలూవతి అదువాం
ఇతరలుగావాంచురరువాచుగిడవళ్ళిందాంవలి చోళలి-
డారహాడదు అల్లుదిముళ్ళుమ్ముళ్ళాదరప్పిచ్చాద-
శంతిబోలియన్ను జూదంజూడదు -

(6) జ్రోంళదాంగిరప్పెళ్ళకుమనీయు బాంయువన్ను
రళ్ళిచర్ప్పదచరంతిందియింద ///లడిశీరదిమిదగగ
వాంగి రప్పెసూడదు --

(7) లయూంవరప్పెమ్రదద బాంయుచ్చూ నేలమ్మాచిందగ
ప్రేసిడెంచెరవరుఒప్పుర చుమ్మెళ్ళంరవన్నిరకదదు
-

(8) ఇంలశేరప్పెమ్రెకెళ్ళరప్పెమ్రదవళ్ళసోడియుశళ్ళ
రదింజు మత్తుదెళ్ళలుళ్ళన్నిరకంజువళ్ళన్ను ప్లేమ్మెళిద
చేంలాంళత్యాలుదువాంళాల్లి బాంశిదనేలజీవేప్కణాంళల్లా
లుదువాజుంరావిదప్పుర్ప్పళ్ళపాంబారెల్లు ప్రైకోర్ట్రేవాళ్
చేంలాంళలిలుదుంళ్ళమ్మనరవాంబి వివియుదంజేలుబ
రసోళాంశల్పతుజుల్లుదాంద చద్రువాంద రప్పెమ్రదదమేం
వళ్ళి నిల్లిస్తినశర్ప్పుద్ది -

ఇందారప్పెమ్రదరప్పెమ్రవ చిద్భోగదలి పేమ్మెబాంధేయు
నిక్కిదస్వభోగదల్లిలుందశేషూదేయుభోగాసింపకాంద
చూరులతింళ్ళగినిక్కిదశళ్ళదల్లియంశేయుచ్చే
లప్తాశవన్ను జోడ్డాశిశేంళ్ళదుజోళాడెంజున్ను మోంగ,
నేంజు లడివరదర్శస్సు ఇంబిసేడ వేరింబదాన్నదల్లి
సోడేయనేలరప్పెదివర ఇవివాండి రప్పెళ్ళుబ్రదు -

(9) ఈశింయుంజుళర్ధు సింపెంయుంజుళ బర్తూసు
బాంళ్ళరిదుప్పేదలు ఇవ్వెబ్రదశర్ప్పెంళాంగ్రళన్ను రస్తు
శర్ప్పదచరంతిర్ప్పసింజు లుఇ యిన్న వాదదు
- ఇంరిప్పెళ్ళిసుఎళింయు స్పే ఇవ్వెబ్రదశర్ప్పెంళాంగ్రళర్ధు
నేలదగదిపే ఇన్నలప్పెమ్రళాచేపు -

(10) ನೆಲಕ್ಕಪ್ಪಚ್ಚಲು ಹಾಗೂ ಅಂಕಣ ಮುಂತಾದ ಕಡೆಗಳಲ್ಲಿ ಕಾಲಿಗೆ ಚಪ್ಪಲಿ ಮೆಟ್ಟಿಲುಗಳಲ್ಲಿ ಚಪ್ಪಲಿಗಳನ್ನು ಹಾಕಿಕೊಂಡು ಹೋಗಬಾರದು ಎಂದು ಕೂಡದು ಮತ್ತು ಬೇರೆ ಯಾರು ಕೂಡ ಹಾಗೆ ಮಾಡದಂತೆ ತಡೆಯಬೇಕು -

(11) ಅಂಥವರು ಮಂಟಪದಲ್ಲಿ ಕುಳಿತಾಗ ಯಾವುದೇ ಮಾಯುಂಡಿಯಾಗಲಿ ಅನ್ಯ ಪದಾರ್ಥಗಳನ್ನು ಕೊಡಬಾರದು

(12) ಪ್ರತಿದಿನ ಸೂರ್ಯಮಂಟಪದಲ್ಲಿ ವಿಶ್ವಕರ್ಮ ಜಾತಿಯವರಿಂದ ಪ್ರೀತಿಯಿಂದ ಪೂಜೆ, ಪುನಸ್ಕಾರಗಳು ನಡೆಯುವುದಕ್ಕೆ ಕೆಲವು ಜ್ಞಾನಶಕ್ತಿಯನ್ನು ಅನುಗ್ರಹಿಸಿಕೊಡುವಂತೆ ಪ್ರಾರ್ಥಿಸಿಕೊಳ್ಳುವ ಪದ್ಧತಿಯನ್ನು ಉಳಿಸಿಕೊಂಡು ಬರಬೇಕು -

— ಆದರೆ ಇಲ್ಲಿಯವರೆಗೆ ಯಾವ ಕಾರ್ಯಗಳಲ್ಲಿಯೂ ಕೆಲವು ಪ್ರತಿಯೊಂದು ಪುನಸ್ಕಾರಗಳನ್ನು ಮಾಡಿಸಿಕೊಂಡು ಬಂದಿರುವುದಿಲ್ಲ ಅವರಿಗೆ ಅವಕಾಶವಿರುವಂತೆ ಜಾಗ್ರತೆ ಮಾಡಿಸಬೇಕು

(13) ಪ್ರತಿಯೊಂದು ಶುಭಕಾರ್ಯವಾದಾಗಲೂ ಮೊದಲು ಗಣಪತಿಯನ್ನು ಪೂಜಿಸಿ ನಂತರ ಕೆಲಸ ಪ್ರಾರಂಭಿಸುವ ಪದ್ಧತಿಯಿದೆ ಆದ್ದರಿಂದ ಮಂಟಪದಲ್ಲಿ ಗಣಪತಿಯ ವಿಗ್ರಹವನ್ನು ಇಟ್ಟು ಪೂಜಿಸಿಕೊಳ್ಳಬೇಕು -

ಇಷ್ಟದೇವತೆಗಳನ್ನು ಮೊದಲು ಪೂಜಿಸಿ ನಂತರ ಜಾತಿಯವರು ಮಂಟಪಕ್ಕೆ ಬಂದು ಪೂಜೆ ಮಾಡಿಸಿಕೊಳ್ಳುವುದು ಸಂಪ್ರದಾಯವಾಗಿದ್ದರಿಂದ ಪರಿಶ್ರಮವಿಲ್ಲದೆ ಪೂಜೆಯನ್ನು ಮಾಡಿಸಿಕೊಳ್ಳಲು ಬಯಸುವ ಕೆಲವು ಜನರು ಇಷ್ಟದೇವತೆಗಳ ಪೂಜೆಯನ್ನು ಮಾಡಿಸಿಕೊಳ್ಳದೆ ಮಂಟಪದಲ್ಲಿ ಪೂಜೆ ಮಾಡಿಸಿಕೊಳ್ಳಲು ಬರಬಹುದು ಆದ್ದರಿಂದ ಇಷ್ಟದೇವತೆಗಳ ಪೂಜೆಯನ್ನು ಮಾಡಿಸಿಕೊಂಡು ಬಂದಿರುವುದಕ್ಕೆ ಸಾಕ್ಷಿಯಾಗಿ ಕೆಲವು ಪ್ರಸಾದಗಳನ್ನು ಮಂಟಪಕ್ಕೆ ತರಲು ಹೇಳಬೇಕು

(14) ಮಂಗಳಕರವಾದ ಪ್ರಾರಂಭದ ಕಾರ್ಯಗಳಲ್ಲಿ ಸಾಧ್ಯವಾದಷ್ಟು ಮಟ್ಟಿಗೆ ಸಂಪ್ರದಾಯಬದ್ಧವಾಗಿ ಪೂಜೆಯಾಗಬೇಕು ಎಂಬ ಉದ್ದೇಶದಿಂದ ಪ್ರತಿಯೊಂದು ಕಾರ್ಯಗಳಲ್ಲಿಯೂ ಪಾಲಿಸಬೇಕು

(15) ಈಗಿನ ಕಾಲದಲ್ಲಿ ಕೆಲವು ಜನರು ಮಂಟಪಕ್ಕೆ ಬಂದು ಪೂಜೆ ಮಾಡಿಸಿಕೊಳ್ಳುವುದಕ್ಕೆ ಆಸಕ್ತಿ ತೋರಿಸುವುದಿಲ್ಲ ಅಂಥವರು ಮಂಟಪಕ್ಕೆ ಬಂದು ಪೂಜೆ ಮಾಡಿಸಿಕೊಳ್ಳಲು ಅನುಕೂಲವಾಗುವಂತೆ ಮಂಟಪದಲ್ಲಿ ಪೂಜೆಯನ್ನು ಮಾಡಿಸಿಕೊಳ್ಳಲು ಬಯಸುವ ಜನರಿಗೆ ಅವಕಾಶ ಮಾಡಿಕೊಡಬೇಕು

(16) ಯಾವುದೇ ಕಾರಣಕ್ಕೂ ಮಂಟಪಕ್ಕೆ ಬಿಳಿಯವರು ಅಂದರೆ ಕ್ರೈಸ್ತರು ಮತ್ತು ಮುಸಲ್ಮಾನರನ್ನು ಒಳಗೆ ಕರೆದುಕೊಂಡು ಬರಬಾರದು ಪ್ರಸಾದಕ್ಕೆ ಕೂಡ ಅವರಿಗೆ ಕೊಡಬಾರದು ಹಾಗೆ ಮಾಡಿದಲ್ಲಿ ಅವರು ಮಂಟಪಕ್ಕೆ ಬಂದು ಪೂಜೆ ಮಾಡಿಸಿಕೊಂಡು ಹೋಗಿದ್ದಾರೆಂದು ಪ್ರಚಾರವಾಗಿ ಮಂಟಪದ ಪವಿತ್ರತೆಗೆ ಭಂಗ ಬರುವುದರಿಂದ ಅವರಿಗೆ ಪ್ರಸಾದ ಕೊಡಬಾರದು ಎಂದು ಹೇಳಬೇಕು -

ఈ ఎలివేషన్ మ్యాప్ మీద ప్లాట్ సైట్ మ్యాప్ ను ఓవర్ లే చేసినప్పుడు ఎంత ఎత్తు ఎంత లోతు ఉన్నదో తెలుస్తుంది. ఇది ఎలా చేయాలో చూద్దాం.

మొదట ఎలివేషన్ మ్యాప్ ను ఓపెన్ చేసి, దాని మీద ఒక పాయింట్ ను ఎంచుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవడానికి ఆ పాయింట్ మీద మౌస్ పాయింటర్ ను ఉంచి, ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి.

ప్లాట్ సైట్ మ్యాప్ ను ఓపెన్ చేసి, దాని మీద ఒక పాయింట్ ను ఎంచుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవడానికి ఆ పాయింట్ మీద మౌస్ పాయింటర్ ను ఉంచి, ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి.

(II) ఈ రెండు మ్యాప్ లను ఓవర్ లే చేసినప్పుడు ఎత్తు ఎంత ఉన్నదో తెలుసుకోవడానికి ఈ క్రింది విధానాన్ని అనుసరించాలి.

(1) మొదట ఎలివేషన్ మ్యాప్ ను ఓపెన్ చేసి, దాని మీద ఒక పాయింట్ ను ఎంచుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవడానికి ఆ పాయింట్ మీద మౌస్ పాయింటర్ ను ఉంచి, ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి.

(2) ప్లాట్ సైట్ మ్యాప్ ను ఓపెన్ చేసి, దాని మీద ఒక పాయింట్ ను ఎంచుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి. ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవడానికి ఆ పాయింట్ మీద మౌస్ పాయింటర్ ను ఉంచి, ఆ పాయింట్ ఎత్తు ఎంత ఉన్నదో తెలుసుకోవాలి.

(3) ఈ రెండు మ్యాప్ లను ఓవర్ లే చేసినప్పుడు ఎత్తు ఎంత ఉన్నదో తెలుసుకోవడానికి ఈ క్రింది విధానాన్ని అనుసరించాలి.

(4) ఈ రెండు మ్యాప్ లను ఓవర్ లే చేసినప్పుడు ఎత్తు ఎంత ఉన్నదో తెలుసుకోవడానికి ఈ క్రింది విధానాన్ని అనుసరించాలి.

[redacted] ప్రతినిధులు క్రింది [redacted] ప్రతినిధుల
[redacted] తీర్మానాలు ఏకగ్రీవంగా ఆమోదించడమైనది -

(1) ఈ మేధల్మండు నివేదికను ఇచ్చిన ధర్మాసనానికి ప్రత్యేకంగా ప్రతినిధులు అభినందనలు తెలియజేస్తూ ఈ నివేదికలోని ప్రతిపాదనలను త్వరితగతిన అమలు పరచడానికి ప్రభుత్వం తగిన చర్యలు తీసుకోవాలని ఈ సదస్సు కోరుతున్నది -

[విశాఖపట్నం, - ఈ ప్రాంతంలో ముఖ్యంగా బీచ్ రోడ్డు మీదికి వచ్చే వాహనాలు ఎక్కువగా ఉండటం వల్ల ఇక్కడ ట్రాఫిక్ సమస్యలు ఎక్కువగా ఉన్నాయని, ఈ సమస్యలను పరిష్కరించడానికి ఫ్లైఓవర్ నిర్మించాలని ఈ సదస్సు ప్రభుత్వాన్ని కోరుతున్నది]

"copy"

(వి వి) V S Krishna Swamy
President

G R S VI G 34j

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *192*

Date of issue 12-2-1930

Signed by Rao T K S Iyer

framed by the Municipal and the Munsif Rayn

May th s be

i Printed ?

ii ted as a stand ng order ?

iii publ shed in the Ga ette English Part ?

iv translated ?

v pl ced at the d spo al of the press ?

vi publ shed in the Gazette Kannada Pa t ?

Section No C

File No 23-29

Serial No 93

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

Letter no W3 723/29 dy submitting for sanction the draft bye laws framed under sec 68 (1) (v) framed by the Municipal Council for regulating buildings in the suppl—

Order Thereon No. L6075- dy 12/2/30

The Byelaws are sanctioned as revised and shown in the accompanying English copy with the following observations —

(a) Bye law no 6 leave only a drain margin with the smaller one as it is other wise

(b) [Bylaw no 13 ~~prohibits~~ the prohibition of
construction of toilets in the most
of localities intended for residential
quarters and also the ~~removed~~ ~~omitted~~ as
it is not warranted by the

Regn 4

(a) Bylaw no 17 is also omitted
as it is inconsistent with sec
96 (5) of the Act Regn which
prescribes the punishment for
breach of the bylaws

(c) As no provision is made
in the proposed bylaws for
regulating the construction of
privies or latrines, necessary
provision has been inserted.

2) The Bylaws may be got
printed and a dozen copies
thereof submitted to this Office
for record.

List of enclosures

Copied by

Examined by

VD 1983 1B—1 000 00 9

To Sen Secretary

To the Asst Com, Nyeri with Bylaws +
previous correspondence

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

Read --

Letter No D3 733/29 dated 20th December 1929, ~~xxx~~ from the Deputy Commissioner, Mysore District, submitting for sanction the draft bye-laws framed by the Melkote Municipal Council under Section 48 (1) (p) of the Municipal Regulation for regulating buildings in the Municipality

---

ORDER NO 1

Dated, Bangalore, the February 1930

The bye-laws are sanctioned as revised and shown in the accompanying English copy with the following observations:-

(a) Bye-law No.6 prescribing a drain margin will be omitted as it is ultra vires,

(b) In Bye-law No 13 the prohibition of the construction of hotels in the midst of localities intended for residential quarte will also be removed as it is not warranted by the Regulation

(c) Bye-law No 17 is also omitted as it is inconsistent with Section 96 (5) of the Municipal Regulation which prescribes the punishment for breach of the bye-laws

(d) As no provision is made in the proposed bye-laws for regulating the construction of privies or latrines, necessary provision has been inserted

2 The bye-laws may be got printed and a dozen copies thereof submitted to this Office for record

For General Secretary to Government

To

The Deputy Commissioner, Mysore District, returning the records

K M R 2
11/2